

LITERATURE CITED

Agency for Toxic Substances and Disease Registry. 2008. Draft toxicological profile for manganese. Available online: <http://www.atsdr.cdc.gov/toxprofiles/tp151.pdf>

Agricultural Extension Service of Colusa County. 1941. Brief land use survey of Colusa County: area description, problems and recommendations by community and county agricultural land use planning committees. Colusa, CA: Agricultural Extension Service. 92 pp

Anderson, MK. 2005. Tending the wild: Native American knowledge and management of California's natural resources. Berkeley, CA: University of California Press. 526 pp

Anderson, W. 1898. Mineral springs and health resorts of California: with a complete chemical analysis of every important mineral water in the world - a prize essay. San Francisco, CA: The Bancroft Company. 384 pp

Ayers, RS; Westcot, DW. 1985. Water quality for agriculture. Irrigation and Drainage Paper 29, revised. Rome: United Nations, Food and Agriculture Organization. 174 pp

Baker, BW; Ducharme, HC; Mitchell, DCS; Stanley, TR; Peinetti, HR. 2005. Interaction of beaver and elk herbivory reduces standing crop of willow. *Ecological Applications* 15(1): 110-118.

Barceloux, DG. 2000. Nickel. *Journal of Clinical Toxicology* 37(2): 239-258.

Barkay, T; Wagner-Döbler, I. 2005. Microbial transformations of mercury: potentials, challenges, and achievements in controlling mercury toxicity in the environment. *Advances in Applied Microbiology* 57: 1-52.

Barnes, I; Hinkle, ME; Rapp, JB; Heropoulos, C; Vaughn, WW. 1973a. Chemical composition of naturally occurring fluids in relation to mercury deposits in part of north central California. *USGS Bulletin* 1382-A. 19 pp

Barnes, I; O'Neil, JR; Rapp, JB; White, DE. 1973b. Silica-carbonate alteration of serpentinite: wall rock alternation in mercury deposits of the California Coast Ranges. *Economic Geology* 68(3): 388-398.

Batten, KM; Scow, KM. 2003. Sediment microbial community composition and methylmercury pollution at four mercury mine-impacted sites. *Microbial Ecology* 46(4):429-441.

BEAR CREEK WATERSHED ASSESSMENT

- Batten, KM; Scow, KM; Davies, KF; Harrison, SP. 2006. Two invasive plants alter soil microbial community composition in serpentine grasslands. *Biological Invasions* 8(2): 217-230.
- Bedell, TE; Buckhouse, JC. 1995. *Monitoring primer for rangeland watersheds*. Denver, CO: US Environmental Protection Agency, Region 8 Water Quality Branch. various pagination
- Bentley, R; Chasteen, TG. 2002. Microbial methylation of metalloids: arsenic, antimony, and bismuth. *Microbiology and Molecular Biology Reviews* 66(2): 250-271.
- Bergfeld, D; Goff, F; Janik, CJ. 2001. Carbon isotope systematics and CO₂ sources in the Geysers-Clear Lake region, northern California, USA. *Geothermics* 30(2-3): 303-331.
- Biogeographic Data Branch. 2009. *Special animals (883 taxa)*. Sacramento, CA: California Department of Fish and Game. 59 pp Available online: <http://www.dfg.ca.gov/biogeodata/cnddb/pdfs/SPAnimals.pdf>
- Birkeland, GH. 1996. Riparian vegetation and sandbar morphology along the lower Little Colorado River, Arizona. *Physical Geography* 17(6): 534-553.
- Biswas, A; Blum, JD; Keeler, GJ. 2008. Mercury storage in surface soils in a central Washington forest and estimated release during the 2001 Rex Creek Fire. *Science of the Total Environment* 404(1): 129-138.
- Biswas, A; Blum, JD; Klaue, B; Keeler, GJ. 2007. Release of mercury from Rocky Mountain forest fires. *Global Biogeochemical Cycles*. 21(1) without pagination.
- Björg, VP. 2003. Impact investigation of a mercury reducing GEM in steam microcosms and construction of mercury reducing reporter strains based on the safety strain *Pseudomonas putida* KT2440. PhD dissertation. Braunschweig, Germany: Technische Universität Carolo-Wilhelmina. 157 pp
- Bosworth, D; Morris, P. 2009. *Bear Creek mercury inventory*. Rancho Cordova, CA: Central Valley Regional Water Quality Control Board. 28 pp
- Boszke, L; Kowalski, A; Głosińska, G; Szarek, R; Siepak, J. 2003. Environmental factors affecting speciation of mercury in the [sic] bottom sediments: an overview. *Polish Journal of Environmental Studies* 12(1): 5-13.
- Brooks, RR. 1987. *Serpentine and its vegetation: a multidisciplinary approach*. Portland, OR: Dioscorides Press. 454 pp
- Brown, TC; Bergstrom, JC; Loomis, JB. 2007. Defining, valuing, and providing ecosystem goods and services. *Natural Resources Journal* 47(2): 329-376.

BEAR CREEK WATERSHED ASSESSMENT

Brunelle, A; Anderson, RS. 2003. Sedimentary charcoal as an indicator of late-Holocene drought in the Sierra Nevada, California, and its relevance to the future. *The Holocene* 13(1): 21-28.

Brunne, D; Nordberg, GF; Vesterberg, O; et al. 1991. A review of normal concentrations of mercury in human blood. *Science of the Total Environment* 100(Special Issue): 235-282.

Bureau of Land Management. 1982. Indian Valley wildlife habitat management plan, Lake and Colusa counties. Sikes Act Project no: CA-058-WHA-T2. Ukiah, CA: BLM Ukiah District, Clear Lake Resource Area. 51 pp plus appendices

Bureau of Land Management. 1985. Cache Creek tule elk wildlife habitat management plan (revision). A Sikes Act project no: CA-058-WHA-T1. Ukiah, CA: BLM Ukiah District, Clear Lake Resource Area. 64 pp

Bureau of Land Management. 2004. Cache Creek coordinated resource management plan / environmental assessment. Final. Ukiah, CA: BLM Ukiah Field Office. 120 pp

Bureau of Land Management. 2006. Ukiah Field Office proposed resource management plan and final environmental impact statement. Sacramento, CA: Bureau of Land Management, California State Office. 2 vols. various pagination

Bureau of Land Management. 2008 draft. Ukiah Field Office risk assessment and mitigation strategies plan. Section 2: Landscape wildland fire risk assessment. Ukiah, CA: BLM Ukiah Field Office. 54 pp

Butterfield, J; Bingham, S; Savory, A. 2006, rev. ed. *Holistic management handbook: healthy land, healthy profits*. Washington, DC: Island Press. 248 pp

Caldwell CA; Canavan, CM; Bloom, NS. 2000 Potential effects of forest fire and storm flow on total mercury and methylmercury in sediments of an arid-lands reservoir. *The Science of the Total Environment* 260(1-3): 125-133.

Calflora. 2009. Information on California plants for education, research and conservation. Berkeley, California: The Calflora Database. Available online: <http://www.calflora.org>

California Air Resources Board. 2009. California ambient air quality standards. Available online: <http://www.arb.ca.gov/research/aaqs/aaqs2.pdf>

California Department of Finance. 2007a. Historical population estimates for city, county, and the state, 1991-2000, with 1990 and 2000 census counts. Sacramento, CA: California Department of Finance. Available online: <http://www.dof.ca.gov/research/demographic/reports/estimates/e-4/1991-2000/>

BEAR CREEK WATERSHED ASSESSMENT

California Department of Finance. 2007b. Population projections for California and its Counties 2000-2050. Sacramento, CA: California Department of Finance. Available online: <http://www.dof.ca.gov/research/demographic/reports/projections/p-1/>

California Department of Transportation. 2003. Construction site best management practices (BMPs) Manual. Sacramento, CA: California Department of Transportation. various pagination
Available online: http://www.dot.ca.gov/hq/construc/stormwater/CSBMPPM_303_Final.pdf

California Department of Transportation. 2006. Bear Creek Bridge replacement project. Initial study with proposed negative declaration. Document EA 1C4900. Marysville, CA: California Department of Transportation, District 3. 99 pp

California Department of Water Resources. 1998. The California Water Plan Update. Bulletin 160-98. Sacramento, CA: State of Calif. 2 volumes, various pagination

California Department of Water Resources. 2005. The California Water Plan Update 2005. Bulletin 160-05. Sacramento, CA: State of California. 5 volumes, various pagination

California Energy Commission. 2009. California climate adaptation strategy: a report of the Governor of the State of California in response to Executive Order S-13-2008. Discussion draft/public review draft. Sacramento, CA: California Energy Commission. 160 pp

California Oak Mortality Task Force. 2009. OakMapper: monitoring sudden oak death with web GIS. Available online: <http://giifserv.cnr.berkeley.edu/website/OakMapper/viewer.htm>

California Native Plant Society. 2009. Inventory of Rare and Endangered Plants (online edition, v7-09d). Sacramento, CA: California Native Plant Society
Available online: <http://www.cnps.org/inventory>

California Natural Diversity Database. 2009. Special Animals. Sacramento, CA: State of California Department of Fish and Game, Biogeographic Data Branch. 60 pp
Available online: <http://www.dfg.ca.gov/biogeodata/cnddb/pdfs/spanimals.pdf>

Campos Palacín, P; Huntsinger, L; Standiford, R; Martin Barroso, D; Mariscal Lorente, Pedro; Starrs, PF. 2002. Working woodlands: public demand, owner management, and government intervention in conserving Mediterranean ranches and dehesas. In: Standiford, RB; McCreary, D; Purcell, KL, tech. cords. Proceedings of the fifth symposium on oak woodlands: oaks in California's changing landscape, 2001 October 22-25, San Diego, CA. General Technical Report PSW-GTR-184. Albany, CA: Pacific Southwest Research Station. pp 511-527

BEAR CREEK WATERSHED ASSESSMENT

Central Valley Regional Water Quality Control Board. 2007. The water quality control plan (basin plan) for the Sacramento River and San Joaquin river basin, 4th edition with amendments through 2007. Rancho Cordova, CA: California Regional Water Quality Control Board: Central Valley Region. various pagination Available online: http://www.swrcb.ca.gov/centralvalley/water_issues/basin_plans/

Cheung, S. 2004. Forest Service research natural areas in California. General Technical Report PS-GTR-188. Albany, CA: USDA Forest Service, Pacific Southwest Research Station. 338 pp

Christensen, GA; Campbell, SJ; Fried, JS, tech. eds. 2008. California's forest resources, 2001-2005: five-year Forest Inventory and Analysis report. General Technical Report PNW-GTR-763. Portland, OR: USDA Forest Service, Pacific Northwest Research Station. 183 pp

Churchill, R; Clinkenbeard, J. 2003. Assessment of the feasibility of remediation of mercury mine sources in the Cache Creek watershed. Final report. Sacramento, CA: CALFED Bay-Delta Mercury Project. 58 pp plus appendices (2 volumes)

Churchill, RK; Hill, RL. 2000. A general location guide for ultramafic rocks in California – areas more likely to contain naturally occurring asbestos. Open-File Report 2000-19. Sacramento, CA: California Department of Conservation, Division of Mines and Geology. 1 pp + 2 maps

Cinnirella, S; Pirrone, N. 2006. Spatial and temporal distributions of mercury emissions from forest fires in Mediterranean region and Russian federation. *Atmospheric Environment* 40: 7346-7361.

Cinnirella, S; Pirrone, N; Allegrini, A; Guglietta, D. 2008. Modeling mercury emissions from forest fires in the Mediterranean region. *Environmental Fluid Mechanics* 8: 129-145.

Clark GM; Magney DL. 1997 Vascular plants of Bear Valley, Walker Ridge, and surrounding areas Colusa and Lake counties, California. *Four Seasons (Journal of the Friends of the Regional Park Botanic Garden)* 10(3): 24-35

Collinge, S.; Holyoak, M.; Barr, C.B.; Marty, J.T. 2001. Riparian habitat fragmentation and population persistence of the threatened valley elderberry longhorn beetle in central California. *Biological Conservation* 100(1): 103-113.

Colusa County Resource Conservation District. 2008. 2008-2013 long-range plan. Available online: <http://www.colusarcd.org/nodes/aboutus/documents/2008-2013LongRangePlanNew.pdf>

Consortium of California Herbaria. 2009. Databases. Berkeley, CA: University of California, Jepson Herbarium. Available online: <http://ucjeps.berkeley.edu/consortium>

BEAR CREEK WATERSHED ASSESSMENT

Cooke, J; Morris, P. 2005. Amendments to the Water Quality Control Plan for the Sacramento River and San Joaquin River Basins for the control of mercury in Cache Creek, Bear Creek, Sulphur Creek, and Harley Gulch. Rancho Cordova, CA: California Regional Water Quality Control Board, Central Valley Region. 99 pp

Cooke, J; Stanish, S. 2007. Sulphur Creek TMDL for mercury: final staff report. Sacramento, CA: Central Valley Regional Water Quality Control Board. 52 pp plus appendices

County of Colusa Board of Supervisors. 2008. Colusa County voluntary oak woodlands management plan. Colusa, CA: County of Colusa. 15 pp

County of Colusa, Department of Planning and Building. 2008. Colusa County groundwater management plan. Colusa, CA: County of Colusa. 74 pp plus maps, tables, and appendices (2 volumes)

Davis, FW; Bochert, WI. 2006. Central coast bioregion. In: Sugihara, NG; van Wagtenonk, JW; Shaffer, KE; Fites-Kaufman, J; Thode, AE., eds. Fire in California's ecosystems. Berkeley, CA: University of California Press. pp 321-349

Davisson, ML; Presser, TS; Criss, RE. 1994. Geochemistry of tectonically expelled fluids from the northern Coast ranges, Rumsey Hills, California, USA. *Geochimica et Cosmochimica Acta* 58(7): 1687-1699.

deMenocal, PB. 2001. Cultural responses to climate change during the late Holocene. *Science* 292 (5517): 667-673.

di Tomaso, JM; Johnson, DW. 2006. Use of fire as a tool for controlling invasive plants in the United States. Publication 2006-01. Berkeley, CA: California Invasive Plant Council. 49 pp

Dickinson, WR; Rich, EI. 1972. Petrologic intervals and petrofacies in the Great Valley Sequence, Sacramento Valley, California. *Geological Society of America Bulletin* 83(10): 3007-3024.

Division of Mines and Geology. 1980. Geothermal resources of California. California Geologic Data Map no. 4. Sacramento, CA: California Department of Conservation. 1 sheet

Domagalski, JL; Alpers, CN; Slotton, DG; Suchanek, TH; Ayers, SM. 2004a. Mercury and methylmercury concentrations and loads in the Cache Creek Basin, California, January 2000 through May 2001. Scientific Investigations Report 2004-5037. Reston, VA: US Geological Survey. 56 pp

Domagalski, JL; Alpers, CN; Slotton, DG; Suchanek, TH; Ayers, SM. 2004b. Mercury and methylmercury concentrations and loads in the Cache Creek watershed, California. *Science of the Total*

BEAR CREEK WATERSHED ASSESSMENT

Environment 327(1-3): 215-237.

Domagalski, JL; Slotton, DG; Alpers, CN; et al. 2004c. Summary and synthesis of mercury studies in the Cache Creek watershed, California, 2000-01. Water Resources Investigations Report 03-4335. Sacramento, CA: US Geological Survey. 30 pp

Drenovsky, RE; Batten, KM. 2007. Invasion by *Aegilops triuncialis* (barb goatgrass) slows carbon and nutrient cycling in a serpentine grassland. *Biological Invasions* 9(2): 107-116.

Duester, L; Diaz Bone, RA; Kösters, J; Hirner, AV. 2005. Methylated arsenic, antimony, and tin species in soils. *Journal of Environmental Monitoring* 7(12):1186-1193.

Ecology and Environment, Inc. 2008. Rathburn – Petray mercury mine, Bear Creek watershed, Colusa County, California. Revised draft prepared for the Bureau of Land Management under contract NAB030001. Boulder, CO: Ecology and Environment, Inc. various pagination Available online: http://www.blm.gov/pgdata/etc/medialib/blm/ca/pdf/ukiah/rathburn-petray.Par.80689.File.dat/Rathburn_Revised_Draft_EECA_080408.pdf

Federal Emergency Management Agency. 2009. FEMA flood zones in Yolo County. Available online: <http://www.yolocounty.org/Index.aspx?page=577>

Ferriz, H. 2001. Groundwater resources of northern California: an overview. In: Ferriz, H.; Anderson, R., eds. *Engineering geology practice in northern California*. Bulletin 210. Sacramento, CA: California Department of Conservation, Division of Mines and Geology. pp 19-47.

Foe, C; Croyle, W. 1998. Mercury concentrations and loads from the Sacramento River and from Cache Creek to the Sacramento-San Joaquin Delta Estuary. Sacramento, CA: Central Valley Regional Water Quality Control Board. 101 pp

Ford, K. 2004. Risk management criteria for metals at BLM mining sites. Technical Note 390, revised. Denver, CO: Bureau of Land Management, National Science and Technology Center. 24 pp

Gaiseth, A; Resh, VH. 1999. Streams in Mediterranean climate regions: abiotic influences and biotic responses to predictable seasonal events. *Annual Review of Ecology and Systematics* 30: 51-81.

Gadd, GM. 2004. Mycotransformation of organic and inorganic substrates. *Mycologist* 18(2):60-70.

Gassel, M; Klasing, S; Brodberg, RK; Roberts, S. 2005. Fish consumption guidelines for Clear Lake, Cache Creek, and Bear Creek (Lake, Yolo, and Colusa counties). Oakland, CA: California Environmental Protection Agency, Office of Environmental Health Hazard Assessment, Pesticide and Environmental

BEAR CREEK WATERSHED ASSESSMENT

Toxicology Section. 66 pp

Gelbard, JL; Belnap, J. 2003. Roads as conduits for exotic plant invasions in a semiarid landscape. *Conservation Biology* 17(2): 420-432.

Gelbard, JL; Harrison, S. 2003. Roadless habitats as refuges for native grasslands: interactions with soil, aspect, and grazing. *Ecological Applications* 13(2): 404-415.

Gelbard, JL; Harrison, S. 2005. Invasibility of roadless grasslands: an experimental study of yellow starthistle. *Ecological Applications* 15(5): 1570-1580.

Gennis and Associates Engineers. 1978. Draft environmental impact report: Sunoco Energy Development Company Colusa County line geothermal project. Sacramento, CA: Gennis and Associates, Engineers. various pagination plus figures and appendices

Gerlach, JD, Jr. 2004. The impacts of serial land-use changes and biological invasions on soil water resources in California, USA. *Journal of Arid Environments* 57(3): 365-379.

Goff, F; Adams, AI; Trujillo, PE; Counce, D; Mansfield, J. 1993. Geochemistry of thermal/mineral waters in the Clear Lake Region, California, and implications of hot dry rock geothermal development. Technical Report LA-12510-HDR. Los Alamos, NM: US Department of Energy, Los Alamos National Laboratory. 23 pp

Goff, F; Bergfeld, D; Janik, CJ; et al. 2001. Geochemical data on waters, gases, rocks, and sediments from the Geyers-Clear Lake region, California (1991-2000). Technical Report LA-13882-MS. Los Alamos, NM: US Department of Energy, Los Alamos National Laboratory. 10 pp plus tables
Available online: <http://library.lanl.gov/cgi-bin/getfile?00796593.pdf>

Goff, F; Guthrie, G. 1999. Field trip guide to serpentinite, silica-carbonate alteration, and related hydrothermal activity in the Clear Lake region, California. Technical Report LA-13607-MS. Los Alamos, NM: US Department of Energy, Los Alamos National Laboratory. 29 pp

Goff, F; Lackner, KS. 1998. Carbon dioxide sequestering using ultramafic rocks. *Environmental Geosciences* 5(3): 89-101.

Gordon, DR; Rice, KJ. 1993. Competitive effects of grassland annuals on soil water and blue oak (*Quercus douglasii*) seedlings. *Ecology* 74(1): 68-82.

Gough, LP; Meadows, GR; Jackson, LL; Dudka, S. 1989. Biogeochemistry of a highly serpentinized, chromite-rich ultramafic area, Tehama County, California: U.S. Geological Survey Bulletin 1901. Reston,

BEAR CREEK WATERSHED ASSESSMENT

VA: US Geological Survey. 24 pp

Gray, JE. 2003. Introduction. In: Gray, JE, ed. Geologic studies of mercury by the US Geological Survey. US Geological Survey Circular 1248. Washington, DC: US Geological Survey. pp 1-7

Green, WS. 1950. The history of Colusa County, California and general history of the state. Reprint edition. Sacramento, CA: The Sacramento Lithograph Company. 196 pp

Grether, GF. 1996. Sexual selection and survival selection on wing coloration and body size in the Rubyspot Damselfly *Hetaerina americana*. *Evolution* 50(5): 1939-1948.

Gustin, MS. 2003. Are mercury emissions from geological sources significant? A status report. *The Science of the Total Environment* 304(1-3) 153-167.

Haidinger, TL; Keeley, JE. 1993. Role of high fire frequency in destruction of mixed chaparral. *Madroño* 40(3): 141-147.

Harnly, M; Seidel, S; Rojas, P; Fornes, R; Flessel, P; Smith, D; Kreutzer, R; Goldman, L. 1997. Biological monitoring for mercury within a community with soil and fish contamination. *Environmental Health Perspectives* 105(4): 424-429.

Harradine, FF. 1948. Soil of Colusa County, California. Berkeley, CA: University of California, College of Agriculture, Agricultural Experiment Station. 140 pp

Harrison, S; Grace, JB; Davies, KF; Safford, HD; Viers, JH. 2006. Invasion in a diversity hotspot: exotic cover and native richness in the Californian serpentine flora. *Ecology* 87(3) 695-703.

Harrison, S.; Inouye, B.D.; Safford, H.D. 2003. Ecological heterogeneity in the effects of grazing and fire on grassland diversity. *Conservation Biology* 17(3): 837-845.

Haynes, G. 2002. The catastrophic extinction of North American mammoths and mastodonts. *World Archaeology* 33(3): 391-416.

Hickman, JC, ed. 1993. The Jepson manual: higher plants of California. Berkeley, CA: University of California Press. 1400 pp

Hodgson, SF. 1987. Onshore oil and gas seeps in California. Publication TR26. Sacramento, CA: California Division of Oil and Gas. 97 pp

BEAR CREEK WATERSHED ASSESSMENT

Holloway, JM; Goldhaber, MB; Morrison, JM. 2009a. Geomorphic controls on mercury accumulation from a historically mined watershed, Central California Coast Range, USA. *Applied Geochemistry* 24(8): 1538-1548.

Holloway, JM; Goldhaber, MB; Scow, KM; Drenovsky, RE. 2009b. Spatial and seasonal variations in mercury methylation and microbial community structure in a historic mercury mining area, Yolo County, California. *Chemical Geology* 267(1-2): 85-95.

Holyoak, M; Koch-Munz, M. 2008. The effects of site conditions and mitigation practices on success of establishing the Valley Elderberry Longhorn Beetle and its host plant, Blue Elderberry. *Environmental Management* 42(3): 444-457.

Hoorn, JF; Hughes, CR; Weppner, EM; Hagans, D. 2008. Bear Creek watershed sediment source assessment and Sulphur Creek sub-watershed road erosion assessment and planning project, Colusa County, California. 43 pp plus appendices and maps

Hopson, CA; Pessagno, EA, Jr. 2005. Tehama-Colusa serpentinite mélange: a remnant of Franciscan Jurassic oceanic lithosphere, northern California. *International Geology Review* 47(1): 65-100.

Hoshovsky, M. 1992. Interagency Natural Areas Coordinating Committee (INACC) working bioregions. Sacramento, CA: 3 pp Available online: <http://biodiversity.ca.gov/Bioregions/INACC.pdf>

Hothem, RL. 2008. Mercury contamination in foothill yellow-legged frogs (*Rana boylei*) and invertebrates from Harley Gulch, California, 2007. Administrative report prepared for the Bureau of Land Management. Sacramento, CA: US Geological Survey, Western Ecological Research Center. 23 pp

Hothem, RL; Jennings, MR; Crayon, JJ. In press. Mercury contamination in three species of anuran amphibians from the Cache Creek watershed, California, USA. *Environmental Monitoring and Assessment*. Available online through subscription:

<http://www.springerlink.com/content/n241j80512w06324/?p=0219025819d54c559c068bb6d1cb229c&pi=7>

Hothem, RL; Trejo, BS; Bauer, ML; Crayon, JJ. 2008. Cliff swallows *Petrochelidon pyrrhonota* as bioindicators of environmental mercury, Cache Creek watershed, California. *Archives of Environmental Contamination and Toxicology* 55: 11-121.

Hunter, JC. 2005. Significant environmental resources and values of the Walker Ridge public lands: a nomination to the U.S. Bureau of Land Management (Ukiah Field Office) for Area of Critical Environmental Concern (ACEC) status. Sacramento, CA: Sacramento Chapter of the California Native Plant Society. 14 pp

BEAR CREEK WATERSHED ASSESSMENT

Huntsinger, L; Buttolph, L; Hopkinson, P. 1997. Ownership and management changes on California hardwood rangelands: 1985 to 1992. *Journal of Range Management* 50(4): 423-430.

Hurt, GW; Vasilas, LM, eds. 2006. Field indicators of hydric soils in the United States: a guide for identifying and delineating hydric soils. Version 6.0. Lincoln, NB: USDA Natural Resources Conservation Service. 39 pp

Husari, S; Nichols, HT; Sugihara, NG; Stephens, SL. 2006. Fire and fuel management. In: Sugihara, NG; van Wagendonk, JW; Shaffer, KE; Fites-Kaufman, J; Thode, AE., eds. *Fire in California's ecosystems*. Berkeley, CA: University of California Press. pp 444-465

Ingersoll, RV. 1983. Petrofacies and provenance of late Mesozoic forearc basin, northern and central California. *AAPG Bulletin* 67(7): 1125-1142

Interagency Watershed Mapping Committee. 2004. CalWater 2.2.1. Dataset available online: <http://cain.ice.ucdavis.edu/calwater>

Invasive Species Program. 2008. California aquatic invasive species management plan. Sacramento, CA: California Department of Fish and Game. 136 pp plus appendices

Jansen, HC; Snow, RR; Treber, GA; Bell, FL. 1997. Effects of livestock grazing on blue oak saplings. In: Pillsbury, NH; Verner, J; Tietje, WD, tech. eds. *Proceedings of a symposium on oak woodlands: ecology, management, and urban interface issues*, March 19-22, 1996, San Luis Obispo, CA. General Technical Report PSW-GTR-160. Albany, CA: USDA Forest Service, Pacific Southwest Research Station. pp 313-320

Johnson, BE; Cushman, JH. 2007. Influence of a large herbivore reintroduction on plant invasions and community composition in a California grassland. *Conservation Biology* 21(2): 515-526.

Johnson, P. 1978. Patwin. In: Heizer, RF. *Handbook of North American Indians*. Volume 8: California. Washington, DC: Smithsonian Institution. pp 350-360

Johnston, KL. 1973. Wintu ethnobotany: plants used by the Indians of the northern Sacramento Valley. Chico, CA: manuscript 8 pp

Keeley, JE. 2002. Fire and invasive species in Mediterranean-climate ecosystems of California. In Galley, KEM; Wilson, TP, eds. *Proceedings of the invasive plant workshop: the role of fire in the control and spread of invasive species*. Tallahassee, FL: Tall Timbers Research Station. pp 81-94

BEAR CREEK WATERSHED ASSESSMENT

Keeley JE. 2006. South Coast region. Chapter 16 In: In: Sugihara, NG; van Wagtenonk, JW; Shaffer, KE; Fites-Kaufman, J; Thode, AE., eds. Fire in California's ecosystems. Berkeley, CA: University of California Press. pp 350-390

Keeley, JE; Fotheringham, CJ. 2000. Role of fire in regeneration from seed. In: Fenner, M., ed. Seeds: the ecology of regeneration in plant communities, 2nd edition. Oxford, UK: CAB International. pp 311-330

Keeley, JE; Fotheringham, CJ; Moritz, MA. 2004. Lessons from the October 2003 wildfires in southern California. *Journal of Forestry* (5): 26-31.

Kim, CS; Brown, GE, Jr; Rytuba, JJ. 2000. Characterization and speciation of mercury-bearing mine wastes using X-ray absorption spectroscopy. *Science of the Total Environment* 261: 157-168.

Kueppers, LM; Snyder, MA; Sloan, LC; et al. 2005. Modeled regional climate change and California endemic oak ranges. *Proceedings of the National Academy of Sciences* 102(45): 15281-16286.

Ledig, FT. 1999. Genic diversity, genetic structure, and biogeography of *Pinus sabiniana* Dougl. *Diversity and Distributions* 5(1): 77-90.

Lehr, CR; Kashyap, DR; McDermott, TR. 2007. New insights into microbial oxidation of antimony and arsenic. *Applied Environmental Microbiology* 73(7): 2386-2389.

Lenihan, JM; Bachelet, D; Neilson, RP; Drapek, R. 2008. Response of vegetation distribution, ecosystem productivity, and fire to climate change scenarios for California. *Climatic Change* 87(Suppl 1): S215-S230.

Light, RH; Pedroni, LE. 2002. When oak ordinances fail: unaddressed issues of oak conservation. In: Standiford, RB; McCreary, D; Purcell, KL, tech. cords. Proceedings of the fifth symposium on oak woodlands: oaks in California's changing landscape. General Technical Report PSW-GTR-184. Albany, CA: USDA Forest Service, Pacific Southwest Research Station. pp 483-500

Lin, Z; Puls, RW. 2000. Adsorption, desorption, and oxidation of arsenic affected by clay minerals and aging process. *Environmental Geology* 39(7):753-759.

Lustig, LK; Busch, RD. 1967. Sediment transport in Cache Creek drainage basin in the Coast Ranges west of Sacramento, California. Washington, DC: US Geological Survey Professional Paper 562-A. US Government Printing Office. 36 pp

Luttbeg, B; Hammond, JI; Sih, A. 2009. Dragonfly larvae and tadpole frog space use games in varied light conditions. *Behavioral Ecology* 20(1): 13-21.

BEAR CREEK WATERSHED ASSESSMENT

MacDonald, GM; Kremenetski, KV; Hidalgo, HG. 2008. Southern California and the perfect drought: simultaneous prolonged drought in southern California and the Sacramento and Colorado River systems. *Quaternary International* 188(1): 11-23.

Mann, JR. 1974. A wildlife management and habitat enhancement study of the Indian Valley Reservoir Area, Lake County, California. Woodland, CA: Yolo County Flood Control and Water Conservation District. 42 pp

Manning, BA; Suarez, DL. 2000. Modeling arsenic(III) adsorption and heterogeneous oxidation kinetics in soils. *Soil Science Society of America Journal* 64(1): 128-137.

Manson, MW. 1989. Landslides and geology along Cache Creek between Clear Lake and Capay Valley, Lake, Colusa, and Yolo counties. Landscape Hazard Identification Map 19. Open File Report 89-30. Sacramento, CA: Department of Conservation, Division of Mines and Geology. 14 pp

Marchetti, MP; Light, T; Moyle, PB; Viers, JH. 2004. Fish invasions in California watersheds: testing hypotheses using landscape patterns. *Ecological Applications* 14(5): 1507-1525.

McCarten, NF; Rogers, C. 1991. Habitat management study of rare plants and communities associated with serpentine soil habitats in the Mendocino National Forest. Willows, CA: Mendocino National Forest. 70 pp

McCullough, DR; Fischer, JK; Ballou, JD. 1996. From bottleneck to metapopulation: recovery of the tule elk in California. In: McCullough, DR, ed. *Metapopulations and wildlife conservation*. Washington, DC: Island Press. pp 375-404

McLaughlin, RJ; Ohlin, HN; Thormahlen, DJ; et al. 1989. Geologic map and structure sections of the Little Indian Valley-Wilbur Springs geothermal area, northern Coast Ranges, California. *Miscellaneous Investigations Series Map I-1706*. Scale 1:24000. Reston, VA: U.S. Department of the Interior, US Geological Survey. 1 sheet

Meetemeyer, R; Rizzo, D; Mark, W; Lotz, E. 2004. Mapping the risk of establishment and spread of sudden oak death in California. *Forest Ecology and Management* 200 (1-3): 195-214.

Merriam, CH. 1966. *Ethnographic notes on California Indian tribes*. Reports of the University of California Archaeological Survey 68. Berkeley, CA: University of California Archaeological Research Facility. 448 pp

Miles, SR; Goudey, CB, compilers. 1997. *Ecological subregions of California: section and subsection descriptions*. Document R5-EM-TP-005. San Francisco, CA: USDA Forest Service, Pacific Southwest

BEAR CREEK WATERSHED ASSESSMENT

Region. various pagination

Moerman, D. undated. Native American ethnobotany: a database of foods, drugs, dyes, and fibers of Native American peoples derived from plants. Dearborn, MI: University of Michigan. Available online: <http://herb.umd.umich.edu>

Moiseyev, AN. 1968. The Wilbur Springs quicksilver district (California) example of a study of hydrothermal processes by combining field geology and theoretical geochemistry. *Economic Geology* 63(2): 169-181.

Montana State University New Zealand Mudsail Project. 2009 update. Available online: <http://www.esg.montana.edu/aim/mollusca/nzms/status.html>

Morrison, JM; Goldhaber, MB; Holloway, JM; Smith, DB. 2008. Major- and trace-element concentrations in soils from northern California: results from the geochemical landscapes project pilot study. Open-File Project 2008-1306. 7 pp

National Riparian Service Team. 2001. Report on the Payne Ranch Consultation, April 24-26, 2001, for the Ukiah Field Office, Bureau of Land Management. Report on file at the National Riparian Service Center, Prineville, OR. 10 pp

New, TR. 1995. Introduction to invertebrate conservation biology. New York: Oxford University Press. 194 pp

Northern California Water Association. 2006. Sacramento Valley integrated regional water management plan. Final. Sacramento, CA: Northern California Water Association. various pagination
Available online: http://www.norcalwater.org/int_program/irwmp.shtml

Northern Sacramento Valley Air Basin (NSVAB). 2003. Air Quality Attainment Plan. Available online: http://www.tehcoapcd.net/PDF/03_%20Plan_ch1.pdf

Oak Mortality Task Force. undated. OakMapper, version 2.0. Berkeley, CA: University of California, Geospatial Innovation Facility. Available online: <http://oakmapper.org>

O'Dell, RE; Claassen, VP. 2006a. Relative performance of native and exotic grass species in response to amendment of drastically disturbed serpentine substrates. *Journal of Applied Ecology* 43(5): 898-908.

O'Dell, RE; Claassen, VP. 2006b. Vertical distribution of organic amendment influences the rooting depth of revegetation species on barren, subgrade serpentine substrate. *Plant and Soil* 285 (1): 19-29.

BEAR CREEK WATERSHED ASSESSMENT

- Opperman, JJ; Merenlender, AM. 2000. Deer herbivory as an ecological constraint to restoration of degraded riparian corridors. *Restoration Ecology*: 8(1): 41-47.
- Ornduff, R; Faber, PM; Keeler-Wolf, T. 2003. *Introduction to California plant life*. Berkeley, CA: University of California Press. 341 pp
- Pellent, M; Shaver, P; Pyke, DA; Herrick, JE. 2005. *Interpreting indicators of rangeland health, version 4*. Technical Reference 11734-6. Denver, CO: USDI Bureau of Land Management, National Science and Technology Center. 122 pp Available online: <http://www.blm.gov/nstc/library/pdf/1734-6rev05.pdf>
- Performance Measures Subcommittee. 2007. *CALFED Bay-Delta Program performance measures report: phase 1 report, final*. Sacramento, CA: CALFED Bay-Delta Program. 43 pp plus appendices
- Peters, EK. 1993. D-¹⁸O enriched waters of the Coast Range Mountains, northern California: connate and ore-forming fluids. *Geochimica et Cosmochimica Acta* 57(5): 1093-1104.
- Pierson, ED. 1988. The status of Townsend's big-eared bat (*Plecotus townsendii*) in California – preliminary results: *P. t. townsendii* in coastal California. Sacramento, CA: California Department of Fish and Game, Wildlife Management Division, Nongame Bird and Mammal Section. 34 pp
- Pierson, ED; Rainy, WE. 1998. Distribution, status, and management of Townsend's big-eared bat (*Corynorhinus townsendii*) in California. BMCP Technical Report Number 96-7. Sacramento, CA: California Department of Fish and Game, Wildlife Management Division, Bird and Mammal Conservation Program. 34 pp
- Prichard, D. 1998. A user guide to assessing proper functioning condition and the supporting science for lotic areas. Technical Reference 1737-15. Denver, CO. USDI Bureau of Land Management, National Applied Resources Center. 126 pp
- Prichard, D. 1999, rev. ed. Using aerial photographs to assess proper functioning condition of riparian-wetland areas. Technical Reference 1737-12. Denver, CO. USDI Bureau of Land Management, National Applied Resources Center. 52 pp
- Reed, WR. 2006. *Soil survey of Colusa County, California*. Davis, CA: USDA Natural Resource Conservation Service. 654 pp
- Resh, VH; Barnby, MA. 1987. Distribution of the Wilbur Springs shore bug (Hemiptera: Saldidae): a product of abiotic tolerances and biotic constraints. *Environmental Entomology* 16(5):1087-1091.

BEAR CREEK WATERSHED ASSESSMENT

Resh, VH; Sorg, KL. 1983. Distribution of the Wilbur Springs Shore Bug (Hemiptera: Saldidae): predicting occurrence using water chemistry parameters. *Environmental Entomology* 12(6): 1628-1635.

Rich, EI. 1971. Geologic map of the Wilbur Springs quadrangle, Colusa and Lake counties, California. Miscellaneous Geologic Investigations Map I-538. Scale 1:48000. Washington, DC: US Geological Survey. 1 sheet

Rivas Martínez, S; Sánchez Mata, D. 1997. *Calocedro decurrentis*-*Pinetea jeffreyi*. In: Rivas Martínez, S, ed. *Syntaxonomical synopsis of the North America natural potential vegetation communities, I. Itinera Geobotánica* 10: pp 54-90.

Rogers, JH. 1891. Colusa County: its history traced from a state of nature through the early period of settlement and development, to the present day, with a description of its resources, statistical tables, etc., and biographical sketches of pioneers and prominent residents. Orland, CA: publisher unknown. 473 pp

Rosgen, DL. 1996. Applied river morphology. Pagosa Springs, CO: Wildland Hydrology. various pagination

Rundel, PW. 1982. Successional dynamics of chamise chaparral: the interface of basic research and management. In: Conrad, CE; Oechel, WC, tech. cords. *Proceedings of the Symposium on Dynamics and Management of Mediterranean-Type Ecosystems, June 22-26, 1981, San Diego, CA. General Technical Report PSW-58.* Berkeley, CA: USDA Forest Service, Pacific Southwest Forest and Range Experiment Station. pp 86-90

Rytuba, JJ. 2000. Mercury mine drainage and processes that control its environmental impact, *The Science of the Total Environment* 260(1):57-71.

Rytuba, JJ; Donnelly-Nolan, JM; McLaughlin, RJ. 1993. Hot springs and deposits of mercury and gold in the Clear Lake volcanic field: road log. In: Rytuba, James J., ed. *Active geothermal systems and gold-mercury deposits in the Sonoma-Clear Lake volcanic fields. Guidebook 16.* Littleton, CO: Society of Economic Geologists. pp 270ff

Safford, H; Harrison, S. 2004. Fire effects on plant diversity in serpentine vs. sandstone chaparral. *Ecology* 85(2): 539–548.

Sawyer, JO; Keeler-Wolf, T; Evens, JM. 2009. *A manual of California vegetation, second edition.* Sacramento, CA: California Native Plant Society Press. 1300 pp

Scheidt, M. 2000. Bird inventories for Trout Creek environs and valley oak grove. Unpublished manuscript.

BEAR CREEK WATERSHED ASSESSMENT

Schoenecker, KA; Singer, FJ; Zeigenfuss, LC; Binkley, D; Menezes, RSC. 2004. Effects of elk herbivory on vegetation and nitrogen processes. *Journal of Wildlife Management* 68(4): 837-849.

Schwarzbach, S; Thompson, L; Adelsbach, T. 2001. An investigation of mercury bioaccumulation in the Upper Cache Creek watershed, 1997-1998. Final Report. Sacramento, CA: US Fish and Wildlife Service, Environmental Contaminants Division. 38 pp plus maps and charts

Seaber, PR; Kapinos, FP; Knapp, GL. 1987. Hydrologic unit maps. Water-Supply Paper 2294. Washington, DC: U.S. Government Printing Office. 63 pp

Sedway Cooke Associates. Department of Planning and Building. 1989. Colusa County General Plan. Colusa, CA: County of Colusa. 398 pp Available online:
http://library.ceres.ca.gov/cgi-bin/doc_home?elib_id=1951

Shacklette, HT; Boerngen, JG. 1984. Element concentrations in soils and other surficial materials of the conterminous United States. U.S. Geological Survey Professional Paper 1270. Washington, DC: United States Government Printing Office. 106 pp

Shapiro, AM; Manolis, TD. 2007. Field guide to butterflies of the San Francisco Bay and Sacramento Valley regions. Berkeley, CA: University of California Press. 345 pp

Sherlock, RL. 2005. The relationship between the McLaughlin gold–mercury deposit and active hydrothermal systems in the Geysers–Clear Lake area, northern Coast Ranges, California. *Ore Geology Reviews* 26(3-4): 349-382.

Shilling, F; Sommarstrom, S; Kattelman, R; Washburn, B.; Florsheim, J; Henly, R. 2005. California watershed assessment manual: Volume I. Prepared for the California Resources Agency and the California Bay-Delta Authority. Davis, CA: University of California. 248 pp

Shilling, F; Washburn, B; Florsheim, J; Nakamura, G. undated draft version. California watershed assessment manual: Volume II. Prepared for the California Resources Agency and the California Bay-Delta Authority. Davis, CA: University of California. various pagination
Available online: http://cwam.ucdavis.edu/Volume_2/TOC.htm

Slotton, DG; Ayers, SM; Reuter, JE; Goldman, CR. 1997. Cache Creek watershed preliminary mercury assessment, using benthic macro-invertebrates. Final Report to the Central Regional Water Quality Control Board and the National Science Foundation. 36 pp

Slotton, DG; Ayers, SM; Suchanek, TH; et al. 2004. Mercury bioaccumulation and trophic transfer in the Cache Creek Watershed, California, in relation to diverse aqueous mercury exposure conditions. Davis,

BEAR CREEK WATERSHED ASSESSMENT

CA: University of California, Department of Environmental Science and Policy. 78 pp plus appendices

Slowey, AJ; Rytuba, JJ. 2008. Mercury release from the Rathburn Mine, Petray Mine, and Bear Valley saline springs, Colusa County, California, 2004-2006. Open-File Report 2008-1179. Reston, VA: US Geological Survey. 49 pp plus maps

Spencer, W; Noss, R; Marty, J; Schwartz, M; Soderstrom, E; Bloom, P; Wylie, Glenn. 2006. Report of Independent Science Advisors for the Yolo County Natural Community Conservation Plan/Habitat Conservation Plan (NCCP/HCP). Corvallis, OR: Conservation Biology Institute. 73 pp plus appendices

State of California Air Resources Board. 2006. Area designation maps [for criteria pollutants]. Available online: <http://www.arb.ca.gov/desig/adm/adm.htm>

Stevenson, M. 2007. Natural background levels of boron in the Clear Lake-Cache Creek Watershed: a data analysis and literature review. Unpublished report. Woodland, CA: Yolo County Flood Control and Water Conservation District. 13 pp

Stohlgren, TJ; Parsons, DJ; Rundel, PW. 1984. Population structure of *Adenostoma fasciculatum* in mature stands of chamise chaparral in the southern Sierra Nevada, California. *Oecologia* 64(1): 87-91.

Stuart, JD; Stephens, SL. 2006. North coast bioregion. In: Sugihara, NG; van Wagtenonk, JW; Shaffer, KE; Fites-Kaufman, J; Thode, AE., eds. Fire in California's ecosystems. Berkeley, CA: University of California Press. pp 147-169

Suchanek, TH; Hothem, RL; Rytuba, JJ; Yee, JL. 2010. Mercury assessment and monitoring protocol for the Bear Creek Watershed, Colusa County, California. Scientific Investigations Report 2010-5018. Reston, VA: US Geological Survey. 34 pp

Suchanek, TH; Slotton, DG; Nelson, DC; Ayers, SH; Asher, C; Weyand, R; Liston, A; Eagles-Smith, C. 2002. Mercury loading and source bioavailability from the Upper Cache Creek mining districts. CALFED - Cache Creek Study (Task 5A: Final Report). Sacramento, CA: US Geological Survey. 72 pp

Sugihara, NG; van Wagtenonk, JW; Fites-Kaufman, J. 2006a. Fire as an ecological process. In: Sugihara, NG; van Wagtenonk, JW; Shaffer, KE; Fites-Kaufman, J; Thode, AE., eds. Fire in California's ecosystems. Berkeley, CA: University of California Press. pp 58-74

Swartz, R; Hauge, C, eds. 2003. California's groundwater – update 2003. Bulletin 188. Sacramento, CA: California Department of Water Resources. 246 pp

BEAR CREEK WATERSHED ASSESSMENT

Sweeny, JR. 1956. Responses of vegetation to fire: a study of the herbaceous vegetation following chaparral fires. University of California Publications in Botany 28: 143-216.

Swiecki, TJ; Bernhardt, EA. 2006. A field guide to insects and diseases of California oaks. General Technical Report PSW-GTR-197. Albany, CA: USDA Forest Service, Pacific Southwest Research Station. 151 pp

Switzer, PV; Grether, GF. 2000. Characteristics and possible functions of traditional night roosting aggregations in Rubyspot Damselflies. Behaviour 137: 401-416.

Talley, TS. 2007. Which spatial heterogeneity framework? Consequences for conclusions about patchy population distributions. Ecology 88(6):1476-89.

TetraTech. Undated. Summary of goals and objectives for East Park Reservoir. 15pp Available online: http://www.usbr.gov/mp/ncao/eastpark/program_info/Final_Goal_and_Objectives_01-06-03.pdf

TetraTech. 2003. Final engineering evaluation and cost analysis for the Sulphur Creek Mining District, Colusa and Lake counties, California. Rancho Cordova, CA: TetraTech EM, Inc. various pagination

Thompson, JM. 1993. Chemical and isotopic constituents in the hot springs along Sulphur Creek, Colusa County, California. In Rytuba, JJ, ed. Active geothermal systems and gold-mercury deposits in the Sonoma-Clear Lake volcanic fields, California. Guidebook Series 16. Fort Collins, CO: Society of Economic Geologists. pp 190-206

Thompson, JM; Goff, FE; Donnelly, JM. 1978. Chemical analyses of water from springs and wells from the Clear Lake volcanic area, northern California. Open-File Report 78-425. Menlo Park, CA: USDI Geological Survey. 12 pp

Thomsen, CD. 2001. Bear Valley Ranch conservation easement baseline documentation. Report to the American Land Conservancy, Sacramento, CA. 15 pp

Thomson, DM. 2007. Do source-sink dynamics promote the spread of an invasive grass into a novel habitat? Ecology 88(12): 3126-3134.

Thorne JH, Kennedy JA, Quinn JF, McCoy M, Keeler-Wolf T, et al. 2004. A vegetation map of Napa County using the Manual of California Vegetation classification and its comparison to other digital vegetation maps. Madroño: 51(4): 343–363.

Thornton, B; Scoonover, R; Mangan, G. 1983. East Park – Capay deer herd management plan. Rancho Cordova, CA: California Department of Fish and Game, Region 2. 24 pp plus appendices

BEAR CREEK WATERSHED ASSESSMENT

Tighe, M; Lockwood, P; and Wilson, S. 2005. Adsorption of antimony(V) by floodplain soils, amorphous iron(III) hydroxide and humic acid. *Journal of Environmental Monitoring* 7 (12):1177-1185.

Tyler, CM; Kuhn, B; Davis, FW. 2006. Demography and recruitment limitations of three oak species in California. *The Quarterly Review of Biology* 81(2): 127-152.

Unrine, JW; Jagoe, GH; Hopkins, WA; Brant, HA. 2004. Adverse effects of ecologically relevant dietary mercury exposure in southern leopard frog (*Rana sphenoccephala*) larvae. *Environmental Toxicology and Chemistry* 23(12): 2964-2970.

URS Corporation. 2006. Application for certification for Colusa Generating Station, Colusa County, California, volume 1. Silver Spring, MD: E&L Westcoast, LLC. various pagination

US Census Bureau. 2009. State and county quick facts: Colusa County, California. Available online: <http://quickfacts.census.gov/qfd/states/06/06011.html>, updated as of September 4, 2009.

USDA Forest Service, Pacific Southwest Region. 1995, with 2007 amendments. Mendocino National Forest management plan. Available online: <http://www.fs.fed.us/r5/mendocino/publications/fp/>

USDA Forest Service, Pacific Southwest Region. 2000. Water quality management for Forest System lands in California: best management practices. Available online: http://www.fs.fed.us/r5/publications/water_resources/waterquality/water-best-mgmt.pdf

USDA Forest Service, Pacific Southwest Region. 2004. Calveg/CWRR Xwalk. Available online: <http://www.fs.fed.us/r5/rsl/projects/classification/cwhr-cv-xwalk.html>

USDA Natural Resource Conservation Service. 2008. Watershed boundary dataset for California. Available online: <http://www.atlas.ca.gov/download.html>

USDA Natural Resource Conservation Service. 2009. National list of hydric soils – AK through MI. Available online: ftp://ftp-fc.sc.egov.usda.gov/NSSC/Hydric_Soils/Lists/hydric_soils_1.xls

USDA Natural Resource Conservation Service. undated. Hydric Soils – NASIS database selection criteria. Available online: <http://soils.usda.gov/use/hydric/criteria.html>

US Environmental Protection Agency. 1986. Quality criteria for water (the Gold Book). Washington, DC: US Environmental Protection Agency, Office of Water Regulations and Standards. unnumbered pagination
Available online: <http://www.epa.gov/waterscience/criteria/library/goldbook.pdf>

BEAR CREEK WATERSHED ASSESSMENT

US Environmental Protection Agency. 2003. Watershed analysis and management (WAM): guide for states and communities. Washington, DC: US Environmental Protection Agency, Office of Wetlands, Oceans, and Watersheds. 357 pp

US Environmental Protection Agency. 2008. Green book data. Available online:

<http://www.epa.gov/air/oaqps/greenbk/>

van Wagtendonk, JW. 2006. Fire as a physical process. In: Sugihara, NG; van Wagtendonk, JW; Shaffer, KE; Fites-Kaufman, J; Thode, AE., eds. Fire in California's ecosystems. Berkeley, CA: University of California Press. pp 38-57

van Wagtendonk, JW; Cayan, DR. 2008. Temporal and spatial distribution of lightning strikes in California in relationship to large-scale weather patterns. *Fire Ecology* 4(1): 34-56.

Vatland, S. 2008. Berryessa Snow Mountain economic benefits report. Report prepared for the Wilderness Society. 59 pp

Available online:

<http://www.tuleyome.org/images/stories/file/Berryessa%20Snow%20Mountain%20Economic%20Benefits%20Report.pdf>

Voormeij, DA; Simandl, GJ; O'Connor, B. 2005. A systematic assessment of ultramafic rocks and their suitability for mineral sequestration of CO₂. In: Rubin, ES; Wilson, W; Gilboy, CF; et al. Greenhouse gas control technologies: Proceedings of the 7th International Conference, September 5-9, 2004, Vancouver, BC. New York: Elsevier Publishing Company. pp 1738-1742

Waddell, KL; Barrett, TM. 2005. Oak woodlands and other hardwood forests of California, 1990s. Resource Bulletin RB-PNW-245. Portland, OR: USDA Forest Service, Pacific Northwest Research Station. 94 pp

Weaver, WE; Hagens, DK. 1994. Handbook for forest and ranch roads. Ukiah, CA: Mendocino County Resource Conservation District. various pagination

Wei, X. 2003. Technical evaluation of mineral sequestration of CO₂ by carbonation. MS Thesis. Morgantown, WV: West Virginia University. 65 pp

White, DE; Barnes, I; O'Neil, JR. 1973. Thermal and mineral waters of nonmeteoric origin, California Coast Ranges: *Geological Society of America Bulletin* 84(2): 547-560.

Wiedinmeyer, C; Friedli, H. 2007. Mercury emission estimates from fires: an initial inventory for the United States. *Environmental Science and Technology* 41(23): 8092-8098.

BEAR CREEK WATERSHED ASSESSMENT

Wilder, TC; Roberts, TH. 2003. A region guidebook for applying the hydrogeomorphic approach to assessing wetland functions of low-gradient riverine wetlands in western Tennessee. Report ERDC/EL TR-02-6. Washington, DC: US Army Corps of Engineers, Engineer Research and Development Center. 150 pp plus appendices

Williamson, J; Harrison, S. 2002. Biotic and abiotic limits to the spread of exotic revegetation species. *Ecological Applications* 12(1): 40-51.

Wills, R. 2006. Central Valley bioregion. In: Sugihara, NG; van Wagtendonk, JW; Shaffer, KE; Fites-Kaufman, J; Thode, AE., eds. *Fire in California's ecosystems*. Berkeley, CA: University of California Press. pp 295-320

Yates, EB. 1989. Water quality and supply on Cortina Rancheria, Colusa County, California. *Water-Resources Investigations Report 89-4004*. Sacramento, CA: US Geological Survey. 28 pp

Zavaleta, ES; Hulvey, KB; Fulfrost, B. 2007. Regional patterns of recruitment success and failure in two endemic California oaks. *Diversity and Distributions* 13(6): 735-745.

Zeiner, DC; Laudenslayer, Jr, WF; Mayer, KE; White, M, eds. 1988-1990. *California's wildlife*, vols. I-III. Sacramento, CA: California Department of Fish and Game. various pagination, with revisions in electronic versions